

### DETAILS

Model No.	DLFP14L-BS	
Dimensions	Length	5.94 IN (151 mm)
	Width	3.44 IN (87 mm)
	Height	5.88 IN (149 mm)
Weight	3.31 lbs (1.5 kg)	

### SPECIFICATIONS

Rated Voltage	12.8V
PbEq Capacity	14Ah
Energy	64Wh
Resistance	7.4Ω
Cranking Amps (25°C)	420A
Adaptive Temperature	-20°C ~ 80°C
Self discharge rate	1%
Charge Discharge Cycles	2000+ Cycles

### IBMS PARAMETERS

Low Voltage Protection	9.0V
High Voltage Protection	15.6V
Short Circuit Protection	Yes
Rated Discharge Current	100A
Instantaneous Discharge Current	600A

### FEATURES

**Extremely Lightweight-** 1/3 the weight of its lead acid equivalent.

**High Cranking Power.**

**Extremely Long Life-** Over 2000 cycles under JISD standards (Lead acid equivalent only 200-300 cycles).

**Extremely Quick Recharge Time-** 90% recharge in less than 6 minutes).

**Dry Cell Battery-** No lead, no filling, no spilling.

**Safe To Use-** This battery cannot explode or catch fire under normal operation.

**Longer Shelf Life-** Battery can sit unused for over a year without losing charge.

**Longer Life-** Double that of conventional batteries.



### REPLACES

YTX14L-BS, HTX14-BS, HVT8, etc.

### TERMINAL ASSEMBLY

